

# EQUIPMENT CATALOG

HUNTER COLLEGE 68th St, 11th Floor

FALL 2025

# CONTENTS

1 .....	<b>DSLR</b>
2 .....	<b>VIDEO CAMERAS</b>
5 .....	<b>AUDIO</b>
11 .....	<b>HEADPHONES</b>
13 .....	<b>COMPUTER / ACCESSOIRES</b>
18 .....	<b>STABILIZERS</b>
19 .....	<b>TRIPODS AND GRIP</b>
21 .....	<b>LIGHTING</b>
23 .....	<b>DIGITAL PROJECTORS</b>

## Blackmagic Design Pocket Cinema Camera 6K G2



- 35 HDR Sensor, Gen 5 Color Science
- Record 6K 6144 x 3456 up to 50 fps
- Record up to 120 fps Windowed 2.8K/1080p
- Dual Native 400 & 3200 ISO
- Full HD Video at 60 fps; Digital IS
- comes with portable 2TB SSD or Memory Card, full camera cage and pelican case

1 available

## DSLR Canon EOS 6D Mark II



- 26.2MP Full-Frame CMOS Sensor
- DIGIC 7 Image Processor
- 45-Point All-Cross Type AF System
- Full HD Video at 60 fps; Digital IS
- comes with EF 16-35mm lens or 24-105mm

2 available

## Canon EF 16-35mm f/4L IS USM Lens



- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/4 to f/22
- Two Ultra-Low Dispersion Elements
- Three Aspherical Elements
- Ring-Type Ultrasonic Motor AF System
- Optical Image Stabilizer
- Rounded 9-Blade Diaphragm

1 available

## Canon EF 50mm f/1.2L USM Lens



- EF-Mount Lens/Full-Frame Format
- Aperture Range: f/1.2 to f/16
- One Aspherical Element
- Super Spectra Coating
- Ring-Type Ultrasonic Motor AF System
- Weather-Sealed Construction
- Rounded 8-Blade Diaphragm

1 available



### Lensbaby Spark 2.0 with Sweet 50 Optic for Canon RF

- RF-Mount Lens/Full-Frame Format
- Aperture Range: f/2.5 to f/22
- Lensbaby Optic Swap System
- Flexible Body with Tilt up to 30°
- Squeeze-to-Focus Design
- Minimum Focusing Distance: 1.1'
- Broadband Multi-Coated Elements
- 12-Blade Diaphragm

1 available



### GoPro HERO12 Black

- 27MP with Improved Performance
- 5.3K60/4K120/2.7K240 Video, 27MP Photos
- HyperSmooth 6.0 Image Stabilization
- Front and Rear LCD Screens
- Bluetooth Audio Connectivity and Control
- 33' Waterproof without Housing
- 8x Slow-Motion Video
- 1720mAh Capacity Rechargeable Battery

1 available



### GoPro HERO8 Black

- Up to UHD 4K Video, Slow Motion, Webcam
- HyperSmooth 2.0 Video Stabilization
- TimeWarp 2.0 Stabilized Time-Lapse Video
- SuperPhoto 12MP Stills with HDR Support

1 available



### GoPro HERO7

- Rugged + Waterproof
- Intuitive Touch Screen
- 4K60 Video
- 12MP Photos With WDR
- Photo Timer
- Shoot Vertically

1 available



### GoPro HERO3

- Full HD 1920 x 1080p video at 60 fps
- 1280 x 720p at 120 fps
- Supports both NTSC and PAL video systems
- Supports up to 10MP photos with a burst rate of up to 10 fps

1 available



### MaxxMove Chest Body Strap & Head Strap for GoPro

- Capture Different POV Angles
- Standard 3-Prong Mount on Each

2 available



### Canon Vixia HF R80

- MPEG-4 video recording system
- 1/4.85-inch CMOS, RGB Primary Color Filter
- 3.28 Megapixels
- 57x Advanced / 32x Optical / 1140x Digital zoom ratio
- 60P/30P/24P frame rate

4 available



### Panasonic HC-V785K Full HD Camcorder

- Record Full HD Video and 24MP Stills
- 1/2.3" Back-Illuminated MOS Sensor
- 20x Optical/50x Intelligent Zoom
- HYBRID OIS 5-Axis Image Stabilization
- 1080p Slow-Motion Video up to 240 fps
- HDR (High Dynamic Range) Video Recording
- Twin Cam with Wi-Fi and NFC Connectivity

11 available



### Panasonic HC-X2000 UHD 4K 3G-SDI/HDMI Pro Camcorder

- Up to UHD 4K60 Video, 3G-SDI & HDMI Out
- 1/2.5" 8.29M MOS Sensor, Venus Engine
- 24x Optical Zoom, 48x Digital iZoom
- 120 fps Slow Motion, Live RTP Streaming
- Handle with 2 XLR Inputs, LED Light
- Records MP4, MOV, AVCHD to Dual SD Cards
- Wide 25mm Lens, 32x Intelligent 4K Zoom

3 available



### Camcorder Canon VIXIA HF G10

- 1920 x 1080 HD Recording
- 32GB Internal Flash Drive
- 2 x SD/SDHC/SDXC Memory Card Slots
- Canon HD CMOS Pro Image Sensor

1 available



### Camcorder Canon XA10

- 1/3" CMOS Sensor
- Native 1920 x 1080
- 24Mbps AVCHD Recording
- 60i, PF30, PF24, Native 24p

2 available



### Tascam DR-40

- Unidirectional adjustable condenser mics
- Record up to WAV 24-bit/96 kHz and MP3 320 kbps
- Ni-MH Battery charger
- Dual XLR-1/4" Inputs w/ Phantom Power
- USB 2.0 Cable

10 available, w/ furry windscreen



### Tascam DR-5

- Standard 3.5mm headphone jack for monitoring your recordings
- USB connection port for transferring files or for powering the recorder with an AC adapter
- Micro SD card slot
- Battery compartment AA batteries

5 available



### Tascam DR-5X

- Standard 3.5mm headphone jack for monitoring your recordings
- USB connection port for transferring files or for powering the recorder with an AC adapter
- Micro SD card slot
- Battery compartment AA batteries

22 available



### Blue Yeti Mic

- Cardioid, Omnidirectional, Bidirectional and Stereo Microphone
- USB & XLR output
- 24-Bit/192 kHz resolution
- Pop screen
- USB Cord
- XLR Cord

1 available



### KRK ROKIT 5 G4 5" 2-Way Active Studio Monitor Kit

- 2 ROCKIT 5 G4 Monitors
- 5.25" Kevlar Aramid Fiber Woofer
- 1" Kevlar Aramid Fiber Tweeter
- Class-D, 55W Total Output Power

4 pair available



### Fender Passport Conference Series 2 Portable Powered PA System (175W)

- Self-Contained Suitcase Style
- Detachable Speakers with 5.25" Woofers
- 5-Channel (7-Input) Powered Mixer
- 3 x XLR-1/4", Stereo 1/4", 3.5mm TRS
- Bluetooth
- 3.5mm Stereo Line Out with Level Control
- Speaker Cables

1 available



### Genelec G One 2-Way Powered Bookshelf Speaker

- Up to 50W Output
- 2-Way, Bass-Reflex Design
- 3" Woofer
- 0.7" Metal-Dome Tweeter
- 74 Hz to 20 kHz Frequency Response
- 1x RCA Input
- Class-D Amplifiers

2 available



### Bose SoundLink Color II Bluetooth Speaker

- Dual 40mm Drivers
- Bluetooth 4.2 Wireless
- Built-In Rechargeable Battery
- IPX4 Splashproof

2 available

### Bose SoundLink Mini Bluetooth Speaker II



- Bluetooth Wireless Music Streaming
- Full-Range Stereo Sound
- Transmission Range Up to 30'
- Integrated Speakerphone & Voice

1 available

### Shure SM58



- Unidirectional Cardioid Mic
- XLR Output
- Shure SM58 Mic
- Case
- Stand Clamp
- Shock Mount

1 available

### Shure SM57



- Unidirectional Cardioid Mic
- XLR Output
- Shure SM57 Mic
- Windscreen
- Stand Clamp

1 available

### RODE Videomic Pro



- Shotgun Condensator Mic
- 40 Hz to 20 Hz frequency
- 1/8" Output
- RODE Videomic Pro
- 9V Battery
- 9V Battery Charger

2 available



### Sennheiser MKE 600 Shotgun Microphone for Panasonic HC-X2000 UHD 4K 3G-SDI/ HDMI Pro Camcorder

- Resists Structure-Borne Noise
- Low-Noise Circuitry, Mild Presence Boost
- High Sensitivity Requires Less Gain
- XLR to 3.5mm TRS Cable for Cameras
- AA Battery or Phantom Powered
- Windscreen Reduces Wind Noise
- Includes Shoe/Tripod Shockmount/sleeve


1 available



### Audio Technica AT897

- Shotgun Condenser Mic
- XLR Output
- AT897 Microphone
- AT8134 Windscreen
- AT8405 stand clamp and stand
- AA Battery
- 5/8"-27 to 3/8"-16 Threaded Adapter

1 available



### Novation 25-key USB midi controller

- Mini velocity-sensitive keys
- Velocity-Sensitive Pads
- Control Knobs
- 4GB Loopmaster Samples
- USB Powered
- MIDI Controller
- MicroUSB to USB cord

2 available

### Focusrite Scarlett 2i2 Interface

- Singers, Guitarists, Podcaster Duos
- USB Type-C Connectivity
- 2 Mic/Line/Instrument Preamps
- 1 Headphone Out, Stereo Monitor

2 available



## Focusrite Clarett+ 8Pre Rackmount 18x20 USB Type-C Audio/MIDI Interface



- Bands, Project Studios, and Producers
- USB Type-C and Type-A Connectivity
- Inputs: 8 Mic/Line Preamps (2 with Hi-Z)
- Outputs: 2 Headphone, 2 Monitor, 4 Line

1 available

## MuxLab HDMI 1 x 2 Splitter



- Distributes HDMI Signal to Two Displays
- HDMI 1.4 Connection
- Supports Resolutions Up to 3840 x 2160 4K
- Supports 12-Bit Color

1 available

## MuxLab HDMI 1 x 4 Splitter



- Distributes HDMI Signal to 4 Displays
- HDMI 1.4 Connections
- Supports Resolutions Up to 3840x2160 4K
- Supports Up to 36-Bit Deep Color

1 available



## Polisen XBR-2 XLR Bluetooth Audio Receiver

- Wireless Audio Streaming to PA System
- High-Quality Bluetooth 5.0
- 3-Pin XLR Output
- Switchable 10 dB Pad
- Link Two XBR-2 for Stereo Audio
- 10-Hour Rechargeable Battery

3 available

## Mackie Mix12FX - 12-Channel Compact Mixer with Effects



- 4 Mic/Line Inputs with 3-Band EQ & HPF
- 4 Stereo 1/4" Line Inputs
- Stereo RCA Tape Inputs & Outputs
- Pan, Level & Overload Indication
- 48V for Condenser Mics
- 12 FX - Reverbs, Choruses & Delays
- Dedicated Stereo RCA Inputs
- Headphone & Stereo Control Room Outs

2 available

## Behringer Xenyx 1002SFX 10-channel Analog Streaming Mixer



- 10 channels of analog mixing
- Stereo pair of channels 9 and 10 can automatically shift between TRS input and USB playback for flexible real-time monitoring
- Stereo RCA can be assigned to main mix or headphone/monitor outputs to easily accommodate your setup
- Headphone & Stereo Control Room Outs

2 available

## Multi headphone splitter Marantz RHA6



- 6-Channel Headphone Amplifier
- Stereo Aux Input on each channel with level adjustments
- Additional Direct Input on front panel to mix in additional sources
- Input gain control and individual output gain control
- Balance control to mix Main and Aux input signals

1 available



### AKG K77 Headphones

- Convertible 1/4" and 1/8" Jack
- 1 available



### Sony MDR V150 Headphones

- Convertible 1/4" and 1/8" Jack
  - Case
- 1 available



### AKG K72 Closed Back Studio Headphones

- Closed-Back for Maximum Isolation
- Over-Ear and Lightweight Design
- 40mm Drivers
- Self-Adjusting Headband

7 available



### Senal SMH-1000 Headphones

- Closed-Back, Over-Ear Circumaural Design
- Rugged Design for Field and Studio Use
- Detachable, Twist-Locking Cable Design
- Midrange Refined to Reduce Ear Fatigue

1 available



### Sony MDR 7506 Heaphones

- 40mm Neodymium Drivers
- Closed Design
- Swiveling Earcups
- Single-Sided Cable

5 available


### Kingston High-Speed Media Reader



- Supports UHS-I and UHS-II Card Speeds
- USB 3.0/3.1 Gen 1
- Up to 5 Gb/s Max. Data Transfer Rate
- Accepts CF Type I & II Memory Cards

3 available

### Delkin Card Reader



- CF/MD, SD MMC, XD/SM, MS Duo Enabled

2 available

### Insten USB Card Reader/Writer



- Ideal for transferring multiple files to and from their mobile device.
- Connects through USB 3.0 port.
- Supports SD security function
- Protect your contents from erasure or modification

3 available

### EMTEC 3-in-1 USB Type-C Card Reader



- 1 x UHS-I SDXC Card Slot
- 1 x UHS-I microSDXC Card Slot
- 1 x CompactFlash Card Slot
- USB 3.2 Gen 1 Type-C Interface

10 available



### SanDisk Extreme Pro SD Card USB Type-C Reader

- USB Type-C 3.0 Interface
- Compatible with SDHC & SDXC Cards
- Up to 500 MB/s Data Transfer Rates

3 available



### GLYPH - Hard Drive

- Portable hard drive 500GB

10 available



### GLYPH - PLUS Hard Drive

- Portable hard drive 1TB

7 available



### SanDisk Extreme Pro SDXC UHS-I Card (170MB/s) 64GB

- 64GB Storage Capacity
- UHS-I / V30 / U3 / Class 10
- Max Read Speed: 170 MB/s
- Max Write Speed: 90 MB/s

13 available

### USB-C Digital AV Multiport Adapter HDMI / (VGA)

8 available



### USB-C to USB Adapter

1 available



### USB-C to Thunderbolt 2 Adapter

2 available



### Apple Lightning Digital AV adapter (HDMI)

4 available





### Lightning to 3,5mm Headphone Jack adapter

7 available



### Apple USB-C to 3.5mm Headphone Jack Adapter

10 available



### Roku Ultra 4K UHD Streaming Media Player (2020 Edition)

- 4K UHD 60 fps Video Playback
- HDR10 & Dolby Vision Compatibility
- Works with Alexa & the Google Assistant
- Integrated Dual-Band Wi-Fi 5 & Ethernet

2 available



### Roku 3 Streaming Player (2015 Model)

- Connects to Your HDTV via HDMI
- Dual-Band Wi-Fi & Ethernet Connectivity
- Outputs 720p HD & 1080p Full HD Video

1 available



### Apple TV HD

- Stream Full HD Content Wirelessly
- Built-In Wi-Fi & Ethernet Connectivity
- Supports up to 1080p Resolution via HDMI
- remote control

2 available

### 14" M1 MacBook Pro



- 14" MacBook Pro
- 16GB unified memory
- 512 GB SSD
- CPU cores
- GPU cores
- SSD card slot
- HDMI port

11 available



### Samsung TU7000 55" Class HDR 4K UHD Smart LED TV

- 4K UHD 3840 x 2160 LED Panel
- HDR10 & HLG Support
- Motion Rate 120 Technology

2 available



### DJI Osmo iPhone Gimbal Stabilizer

- Capture Stabilized Handheld Footage
- Works with DJI GO App
- Requires iPhone

1 available



### Freevision Premium Gimbal Stabilizer for Smartphones (VILTA-M)

- Pro 3-Axis Handheld Stabilizer Gimbal for iPhone, Samsung,
- Premium Stability Performance
- Double Wheel, Preset Mark A/B Focal Point,
- Wireless Charging

2 available



### Movo Smartphone Videokit V7 with Rig, Light & Stereo Microphone

- Single Handle Smartphone Rig
- VXR50 Stereo Microphone
- Video Light with 30 Ultra-Bright LEDs
- RC101 Bluetooth Remote

24 available



### Zhiyun Crane M-2 Stabilizer

- Compact Ultra-Portable Design
- For Cameras & Smartphones up to 1.58 lb
- 360° Pan, 310° Tilt & 324° Roll Rotation
- Six Operation Mode

1 available



### Sunpak VideoPro-M 4 Video Tripod

- Height Range: 23.1 to 65"
- Folds Down to 24.4" for Storage
- Supports up to 11 lb / Weighs 4 lb
- Four Leg Sections Plus Center Column

2 available



### Table top Tripods

- Table Top Tripods
- Maximum Height: 4.0 inch with head
- Minimum Height: 1.88 inch without head
- Load Capacity: 6lb(2.7kg)
- Weight: 0.3lb(140g)

2 available



### Ulanzi MT-07 Flexible Tripod with Ball Head

- Load Capacity: 5.5 lb
- Leg Sections: 1
- Supports Mirrorless & Small DSLRs
- Flexible Legs Wrap around Tubing & Pipes

3 available



### Manfrotto Tripod 547B

- Load Capacity 33lbs (15g)
- Maximum Height 55.9 inch (142cm)
- Folded Length 33.9 inch (86cm)
- Weight 5.1 lbs (2.3Kg)
- Leg Stages/Section 1/2
- Leg Lock Type (Flip Levers)

1 available



### Manfrotto compact-advanced

- Manfrotto 390 Tripod/Mount/Case
- Non Slip Rubber Feet
- Material: Aluminum
- High 143 cm
- Weight: 1.7KG
- Extendable column with secure look

4 available



### Manfrotto Tripod 390

- Manfrotto 390 Tripod/Mount/Case
- Non Slip Rubber Feet
- Material: Aluminu
- High 143 cm
- Weight: 1.7KG
- Extendable column with secure look

2 available



### Manfrotto Head with Telescopic Leg Tripod

- 1 large Manfrotto MVH502A Pro video head
- 75mm ball
- With telescopic-twin leg tripod MVT502AM

1 available

### Genaray LED 7100T



- 3200K to 5600K Color Temperature
- Flicker-free brightness dimming from 10-100%
- Battery Charger
- A/C Adapter for Charger
- 2 Batteries
- Stand Mount

1 available

### Flashpoint LED 144



- Flicker-free Daylight 1100 Lux and Tungsten 893 Lux lighting
- Brightness dimming from 10-100%
- Portable Charger
- 2 Batteries
- Stand Mount
- Holding Stick

1 available

### Westcott flex daylight LED mat



- Flexible LED Mat
- Fully Dimmable
- AC/DC Adapter
- AC Cord
- Dimmer Switch
- Battery

1 available

### Gvm 800d-rgb led studio 3-video light kit



- 800D-RGB Panels with Barndoors
- Soft Diffusers
- AC Adapters
- Light Stands: 7'
- 3200 to 5600K Plus RGB Control, CRI97
- Uses Optional NP-F Batteries
- Free Android and iOS App

6 sets available



### Litepanels 6X Bi-Color LED Panel 3-Light Kit

- 3 Astra 6X Bi-Color LED Panels
- Beam Spread: 46°, TIR Optics
- Variable Color Temperature: 3200-5600K
- Dual Cooling Modes
- High CRI: Daylight 95, Tungsten
- 0-100% Continuous Dimming, Flicker-Free
- Multi-Voltage AC, Optional Battery Power

1 set with 3 panels available



### Angler Collapsible Softbox for 1x1' LED Lights

- Fits Luxli Timpani & Most 1x1 LED lights
- Front Opening Size: 18 x 18"
- Lowers Contrast, Soft Quality of Light
- Silver Interior Maximizes Output
- Optional Fabric Grid
- Folds Down for Storage and Transport

**Optoma HD66 Projector (small)**

- WXGA 1280 x 800 Native Resolution
- Brightness of 500 Lumens
- 10,000:1 Contrast Ratio
- LED Lamp Lasts 20,000+ Hours

1 available

**Optoma PK201 Pico Pocket Projector**

- 20 Lumens DLP Image Panel
- Native WVGA (854 x 480) Max (1280 x 800)
- LED Light Source Rated at 20,000 Hours
- Projects Images on Any Surface

1 available

**BenQ MH733 4000-Lumen Full HD DLP Projector**

- Brightness of 4000 Lumens
- Full HD (1920 x 1080) Native Resolution
- 1.15 to 1.5:1 Throw Ratio
- VGA, 2x HDMI Inputs

1 available

**BenQ MW632ST 3200-Lumen WXGA Short-Throw DLP Projector**

- Brightness of 3200 Lumens
- WXGA (1280 x 800) Native Resolution
- Short 0.72 - 0.87:1 Throw Ratio
- VGA, S-Video, Composite, & 2x HDMI-In

2 available



### Epson LCD Projector

- Brightness of 3600 Lumens
- XGA (1024 x 768) Native Resolution
- 1.48 to 1.77:1 Throw Ratio
- HDMI, Composite Video, 2x VGA

1 available



### AAXA Technologies P6X 1100-Lumen WXGA Portable DLP Projector

- Maximum Brightness of 1100 Lumens
- WXGA 1280 x 800 Native Resolution
- 2000:1 Dynamic Contrast Ratio
- Up to 4 Hours Battery Life
- Up to 30,000-Hour LED Life
- microSD & USB Host Reader
- Dual Built-In 2W Speakers
- Remote Control & A/V Cable Included

3 available



### AAXA Technologies P400 400-Lumen Full HD Short-Throw LCoS LED Pico Projector

- Brightness of 400 ANSI Lumens
- Full HD 1920 x 1080 Native Resolution
- Short 0.7:1 Throw Ratio
- LCoS Technology for a Sharp Picture

5 available

Questions?

Please email: [hunternewgenres@gmail.com](mailto:hunternewgenres@gmail.com)